# MEDIDOR SOLIDOS DISUELTOS TOTALES SDT TIPO PLUMA LCD

## Nombre del producto: MEDIDOR SOLIDOS DISUELTOS TOTALES SDT TIPO PLUMA LCD

Fabricante: -

Número de modelo: TDS2

MEDIDOR DE SOLIDOS DISUELTOS TOTALES
TDS TIPO PLUMA PANTALLA LCD DIGITAL
Ideal para todas las aplicaciones de purificación de agua, regulación de aguas residuales, la acuicultura, hidroponía y plata coloidal. Perfecto para usuario domestico ó la utilización comercial.
¡Llevelo en todo momento en su bolsillo o en su caja de herramientas !

- style="BACKGROUND-COLOR: rgb(255,255,255)"
  onmouseover="this.style.backgroundColor='#ebeff9'"
  title="* Ideal for commercial use."
  onmouseout="this.style.backgroundColor='#fff'">Ideal para uso comercial.

  onmouseover="this.style.backgroundColor='#ebeff9'"
  title="Includes a carrying case with belt clip."
  onmouseout="this.style.backgroundColor='#fff'">Incluye una funda de transporte con clip de cinturón
- onmouseover="this.style.backgroundColor='#ebeff9'"
  title="* Highly efficient and accurate due to its advanced 
microprocessor technology."
  onmouseout="this.style.backgroundColor='#fff'">Altamente eficaz y precisa debido a su avanzada tecnología de microprocesadores.
- onmouseover="this.style.backgroundColor='#ebeff9'"
  title="* Highly efficient and accurate due to its advanced 
microprocessor technology."
  onmouseout="this.style.backgroundColor='#fff'">
  style="BACKGROUND-COLOR: rgb(255,255,255)"
  onmouseover="this.style.backgroundColor='#ebeff9'"
  title="* Hold Function: saves measurements for convenient reading and 
recording."
  onmouseout="this.style.backgroundColor='#fff'">Función de bloqueo: guarda las medidas convenientes para la lectura y grabación.
- onmouseover="this.style.backgroundColor='#ebeff9'"
  title="* Hold Function: saves measurements for convenient reading and 
recording."
  onmouseout="this.style.backgroundColor='#fff'">
  style="BACKGROUND-COLOR: rgb(255,255,255)"
  onmouseover="this.style.backgroundColor='#ebeff9'"
  title="* Auto-off function: the meter shuts off automatically after 10 
minutes of non-use to conserve batteries."
  onmouseout="this.style.backgroundColor='#fff'">Auto-apagado función: el medidor se apaga automáticamente después de 10 minutos de no utilización para conservar las baterías.
- 

TodoAgua

# MEDIDOR SOLIDOS DISUELTOS TOTALES SDT TIPO PLUMA LCD

onmouseover="this.style.backgroundColor='#ebeff9'"
title="* Auto-off function: the meter shuts off automatically after 10 
minutes of non-use to conserve batteries."
onmouseout="this.style.backgroundColor='#fff'">
style="BACKGROUND-COLOR: rgb(255,255,255)"
onmouseover="this.style.backgroundColor='#ebeff9'"
title="* Measurement range: 0-999 ppm."
onmouseout="this.style.backgroundColor='#fff'">Rango de medición: 0-999 ppm.
•
onmouseover="this.style.backgroundColor='#ebeff9'"
title="* Measurement range: 0-999 ppm."
onmouseout="this.style.backgroundColor='#fff'">
style="BACKGROUND-COLOR: rgb(255,255,255)"
onmouseover="this.style.backgroundColor='#ebeff9'"
title="* Display: large and easy-to-read LCD screen."
onmouseout="this.style.backgroundColor='#fff'">Pantalla: grande y fácil de leer pantalla LCD.
style="BACKGROUND-COLOR: rgb(255,255,255)"
onmouseover="this.style.backgroundColor='#ebeff9'"
title="* Display: large and easy-to-read LCD screen."
onmouseout="this.style.backgroundColor='#fff'">
onmouseover="this.style.backgroundColor='#ebeff9'" title="* With case."
onmouseout="this.style.backgroundColor='#fff'">
• Rango de medición: De 0-999 ppm, la resolución es en incrementos de 1 ppm.
• Contrucción con termómetro interno para compensación de temperatura y una lectura más precisa.
• Calibrado de fábrica: nuestros medidores son calibrados con una solución de 342 ppm de NaCl. se reajusta con un mini-destornillador.
onmouseover="this.style.backgroundColor='#ebeff9'" title=Specifications:
onmouseout="this.style.backgroundColor='#fff'">Especificaciones:

style="BACKGROUND-COLOR: rgb(255,255,255)"
onmouseover="this.style.backgroundColor='#ebeff9'"
title="* Range: 0 - 999 ppm" onmouseout="this.style.backgroundColor='#fff'">* Rango: 0 a 999 ppm
style="BACKGROUND-COLOR: rgb(255,255,255)"
onmouseover="this.style.backgroundColor='#ebeff9'" title="* Resolution: 1 ppm"
onmouseout="this.style.backgroundColor='#fff'">* Resolución: 1 ppm

style="BACKGROUND-COLOR: rgb(255,255,255)"
onmouseover="this.style.backgroundColor='#ebeff9'" title="* Accuracy: +/- 2%"
onmouseout="this.style.backgroundColor='#fff'">* Precisión: + / - 2%

style="BACKGROUND-COLOR: rgb(255,255,255)"
onmouseover="this.style.backgroundColor='#ebeff9'"
title="* Power source: 2 x 1.5V button cell batteries (included)"
onmouseout="this.style.backgroundColor='#fff'">* Fuente de energía: 2 x 1,5 V pilas de botón (incluidas)
style="BACKGROUND-COLOR: rgb(255,255,255)"
onmouseover="this.style.backgroundColor='#ebeff9'"

# MEDIDOR SOLIDOS DISUELTOS TOTALES SDT TIPO PLUMA LCD

title="* Battery life: over 1000 hours of continuous use"
onmouseout="this.style.backgroundColor='#fff'">* La duración de la batería: más de 1000 horas de uso continuo
style="BACKGROUND-COLOR: rgb(255,255,255)"
onmouseover="this.style.backgroundColor='#ebeff9'"
title="* Dimensions: 15.5 x 3.1 x 2.3cm (6.1 x 1.25 x 1 inches)"
onmouseout="this.style.backgroundColor='#fff'">* Dimensiones: 15,5 x 3,1 x 2.3cm (6,1 x 1,25 x 1 pulgadas)
style="BACKGROUND-COLOR: rgb(255,255,255)"
onmouseover="this.style.backgroundColor='#ebeff9'"
title="* Weight with case: 76.5g"
onmouseout="this.style.backgroundColor='#fff'">* Peso con funda: 76.5g

style="BACKGROUND-COLOR: rgb(255,255,255)"
onmouseover="this.style.backgroundColor='#ebeff9'"
title="* Weight without case: 56.7g"
onmouseout="this.style.backgroundColor='#fff'">* Peso sin funda: 56.7g

onmouseover="this.style.backgroundColor='#ebeff9'"
title="* Weight without case: 56.7g"
onmouseout="this.style.backgroundColor='#fff'">

~~**Precio: $991.80**~~

**Precio especial: $892.62**

TodoAgua